ELSEVIER

Vibrational Spectroscopy 8 (1995) 469–472

VIBRATIONAL SPECTROSCOPY

Author Index

Abstreiter, G., see Fromherz, T. 109
Adamowicz, L., see Lapinski, L. 331
Andor, J.A., see Berkesi, O. 167
Antonova, K.
—, Petrov, M., Kirov, N., Tenev, T. and Ratajczak, H.
Fourier transform far-infrared spectroscopy of the hydrogen bond in 4-*n*-alkoxybenzoic acids 193
Astilean, S., see Iliescu, T. 451

Baran, J., see Bator, G. 425
Barnett, S.M.
—, Butler, I.S., Top, S. and Jaouen, G.
Pressure-tuning infrared and solution Raman spectroscopic studies of 17β-estradiol and several *A*-ring and 17α-ethynylestradiol derivatives 263
Bärtsch, M.
—, Bornhauser, P., Calzaferri, G. and Imhof, R.
Correlation of the vibrational structure of $H_8Si_8O_{12}$ and $H_{10}Si_{10}O_{15}$ 305
Bator, G.
—, Jakubas, R., Baran, J. and Ratajczak, H.
Infrared studies of structural phase transitions in $(NH_3CH_3)_3Sb_2I_9$ 425
Bauer, G., see Fromherz, T. 109
Beattie, J.K.
— and De Bruyn, H.
Infrared spectra of solid aluminium chloride and bromide 461
Berkesi, O.
—, Katona, T., Dreveni, I., Andor, J.A. and Mink, J.
Temperature-dependent Fourier transform infrared and differential scanning calorimetry studies of zinc carboxylates 167
Bertie, J.E.
—, Zhang, S.L. and Keefe, C.D.
Measurement and use of absolute infrared absorption intensities of neat liquids 215
Booij, A.S., see Konings, R.J.M. 465
Bornhauser, P., see Bärtsch, M. 305
Brunner, H., see Hoffmann, H. 151
Butler, I.S., see Barnett, S.M. 263
Butler, I.S., see Xu, Z.H. 457

Calzaferri, G., see Bärtsch, M. 305
Caragiu, M., see Iliescu, T. 451
Chazalviel, J.-N., see Dubin, V.M. 159
Clark, T.D., see Nyquist, R.A. 387

De Bruyn, H., see Beattie, J.K. 461
Dittmar, G., see Offermann, V. 135
Dobrowolski, J.Cz.
—, Jamróz, M.H. and Mazurek, A.P.
Infrared study on the double hydrogen bond between the urea molecule and halogenated aliphatic hydrocarbon solvents 53
Dreveni, I., see Berkesi, O. 167
Dubin, V.M.
—, Ozanam, F. and Chazalviel, J.-N.
In situ infrared spectroscopic study of luminescent porous silicon 159
Durry, G.
— and Guelachvili, G.
Wide band high-resolution time-resolved spectroscopy 253

Ehrendorfer, Ch.
— and Karpfen, A.
Theoretical investigations on positive bipolaronic defects in oligothiophenes: Structures and vibrational spectra of doubly charged 2,2′-bithiophene and 2,2′:5′,2″-terthiophene 293
Engert, C., see Liang, E.J. 435
Ezernitskaya, M.G.
—, Lokshin, B.V., Orlova, T.Yu., Setkina, V.N., Shil'nikov, V.I. and Nunziante Cesaro, S.
Vibrational spectra, molecular structure and rotational isomerism in "staircase" carbonyl complexes of transition metals 185

Faurskov Nielsen, O., see Mortensen, A. 37
Feltrin, A.
—, Guido, M. and Nunziante Cesaro, S.
Fourier transform infrared study and matrix effects of aluminum and gallium carbonyls isolated in argon and nitrogen 175
Feuerbacher, M., see Offermann, V. 135
Fiedler, S.L., see Nyquist, R.A. 365
Freedman, T.B., see Nafie, L.A. 231
Fromherz, T.
—, Nützel, J.F., Hertle, H., Helm, M., Bauer, G. and Abstreiter, G.
$Si/Si_{1-x}Ge_x$ multiquantum wells: a route to infrared detectors 109

Göbel, R.
—, Seitz, R.W., Tomellini, S.A., Krska, R. and Kellner, R.
Infrared attenuated total reflection spectroscopic investigations of the diffusion behaviour of chlorinated hydrocarbons into polymer membranes 141
Goossens, K., see Smeller, L. 199
Grosse, P.
— and Offermann, V.
Quantitative infrared spectroscopy of thin solid and liquid films under attenuated total reflection conditions 121
Grosse, P., see Offermann, V. 135
Guelachvili, G., see Durry, G. 255
Guido, M., see Feltrin, A. 175

Hanuza, J.
—, Maczka, M. and Van der Maas, J.H.
Vibrational characteristics of the single-bridge MoOMo and double-bridge MoO_2Mo intermolecular interactions-polarized infrared and Raman spectra of monoclinic $KBi(MoO_4)_2$ single crystal 417
Helm, M., see Fromherz, T. 109
Heremans, K., see Smeller, L. 199
Hertle, H., see Fromherz, T. 109
Hoffmann, H.
—, Mayer, U., Brunner, H. and Krischanitz, A.
Reflection–absorption infrared spectroscopy of self-assembled monolayers on gold and silicon surfaces 151
Holly, S., see Jalsovszky, G. 279

Iliescu, T.
—, Vlassa, M., Caragiu, M., Marian, I. and Astilean, S.
Raman study of 9-methylacridine adsorbed on silver sol 451
Imai, Y., see Ishikawa, H. 445
Imhof, R., see Bärtsch, M. 305
Ishida, H., see Yamamoto, K. 1
Ishikawa, D.N.
— and Téllez S., C.A.
Infrared and Raman spectra of $Zn(NH_3)_2Br_2$ with ^{15}N and ^{2}H isotopic substitution 87
Ishikawa, H.
—, Imai, Y. and Kurokawa, Y.
Preparation of Ag particle-doped cellulose acetate gel membrane as a surface-enhanced Raman scattering active substrate 445
Isomura, S., see Tosa, V. 45

Jakubas, R., see Bator, G. 425
Jalsovszky, G.
— and Holly, S.
Vibrational analysis of the dipeptides containing alanine and serine 279
Jamróz, M.H., see Dobrowolski, J.Cz. 53
Jaouen, G., see Barnett, S.M. 263

Karpfen, A., see Ehrendorfer, Ch. 293
Katona, T., see Berkesi, O. 167
Keefe, C.D., see Bertie, J.E. 215
Kellner, R., see Göbel, R. 141
Kellner, R., see Mizaikoff, B. 103
Kiefer, W., see Liang, E.J. 435
Kirov, N., see Antonova, K. 193
Konings, R.J.M.
— and Booij, A.S.
Infrared spectrum of gaseous SrI_2 465
Krischanitz, A., see Hoffmann, H. 151
Krska, R., see Göbel, R. 141
Kuga, Y., see Tosa, V. 45
Kurokawa, Y., see Ishikawa, H. 445

Lapinski, L.
—, Nowak, M.J., Leś, A. and Adamowicz, L.
Comparison of ab initio HF/6-31G**, HF/6-31 + + G** and MP2/6-31G** calculated infrared spectra of 4(3H)-pyrimidinone and 4-hydroxypyrimidine with matrix isolation spectra 331
Lee, J., see Pyo, D. 61
Leś, A., see Lapinski, L. 331
Li, C., see Xu, Z.H. 457
Liang, E.J.
—, Engert, C. and Kiefer, W.
Surface-enhanced Raman scattering of halide ions, pyridine and crystal violet on colloidal silver with near-infrared excitation: low-wavenumber vibrational modes 435
Lokshin, B.V., see Ezernitskaya, M.G. 185

Maczka, M., see Hanuza, J. 417
Manzanares I., C., see Peng, J. 319
Marian, I., see Iliescu, T. 451
Mas Carbonell, C., see Otero Areán, C. 411
Mayer, U., see Hoffmann, H. 151
Mazurek, A.P., see Dobrowolski, J.Cz. 53
Milićev, S.
Frequency and intensity relations in Raman spectra of XeF_5^+ and $Xe_2F_{11}^+$ in their solid fluorometalate complexes 309
Mina-Camilde, N., see Peng, J. 319
Mink, J., see Berkesi, O. 167

Mizaikoff, B.
—, Taga, K. and Kellner, R.
Infrared fiber optic gas sensor for chlorofluorohydrocarbons 103
Mortensen, A.
—, Faurskov Nielsen, O., Yarwood, J. and Shelley, V.
Vibrational spectra of solutions of formamide in DMSO 37

Nafie, L.A.
—, Yu, G.-S. and Freedman, T.B.
Raman optical activity of biological molecules 231
Nowak, M.J., see Lapinski, L. 331
Nunziante Cesaro, S., see Ezernitskaya, M.G. 185
Nunziante Cesaro, S., see Feltrin, A. 175
Nützel, J.F., see Fromherz, T. 109
Nyquist, R.A.
— and Clark, T.D.
Infrared study of 4-x benzoic acids in CCl_4 and/or $CHCl_3$ solutions 387
Nyquist, R.A.
— and Fiedler, S.L.
Infrared study of five- and six-membered type cyclic imides 365
Nyquist, R.A.
— and Streck, R.
Infrared solution study of alkyl acrylates and alkyl methacrylates in $CHCl_3$ and/or CCl_4 solutions 71

Offermann, V.
—, Grosse, P., Feuerbacher, M. and Dittmar, G.
Experimental aspects of attenuated total reflectance spectroscopy in the infrared 135
Offermann, V., see Grosse, P. 121
Ohshima, K.
—, Okabayashi, H. and Yoshida, T.
Folded structure induction effect of an L-leucine residue on the conformations of L-leucylglycine oligomers: vibrational spectroscopic evidence 401
Okabayashi, H., see Ohshima, K. 401
Orlova, T.Yu., see Ezernitskaya, M.G. 185
Otero Areán, C.
— and Mas Carbonell, C.
Infrared characterization of spinel-supported triruthenium dodecacarbonyl 411
Ozanam, F., see Dubin, V.M. 159

Paluszkiewicz, C.
— and Żabiński, W.
H-bonding in vesuvianite, a complex ortho-disilicate 315
Pavan Kumar, A.
— and Ramana Rao, G.
Transferable valence force fields for substituted benzenes. Part V. Difluoro- and dibromonitrobenzenes 357
Peng, J.
—, Mina-Camilde, N. and Manzanares I., C.
Infrared spectroscopy of 2-methyl-2-butene in liquid argon solution and ab initio calculated vibrational frequencies 319
Petrov, M., see Antonova, K. 193
Pyo, D.
— and Lee, J.
Feature selection for identification of substituted benzenes from infrared spectra 61

Ramana Rao, G., see Pavan Kumar, A. 357
Ramana Rao, G., see Suryanarayana, V. 343
Ratajczak, H., see Antonova, K. 193
Ratajczak, H., see Bator, G. 425

Seitz, R.W., see Göbel, R. 141
Setkina, V.N., see Ezernitskaya, M.G. 185
Shelley, V., see Mortensen, A. 37
Shil'nikov, V.I., see Ezernitskaya, M.G. 185
Smeller, L.
—, Goossens, K. and Heremans, K.
Determination of the secondary structure of proteins at high pressure 199
Streck, R., see Nyquist, R.A. 71
Suryanarayana, V.
— and Ramana Rao, G.
Transferable valence force fields for substituted benzenes. Part IV. Dinitrobenzenes 343

Taga, K., see Mizaikoff, B. 103
Takeuchi, K., see Tosa, V. 45
Tasumi, M., see Torii, H. 205
Téllez S., C.A., see Ishikawa, D.N. 87
Tenev, T., see Antonova, K. 193
Tomellini, S.A., see Göbel, R. 141
Top, S., see Barnett, S.M. 263
Torii, H.
— and Tasumi, M.
Re-examination of the vibrational force fields of *trans*- and *cis*-1,3,5-hexatriene: effect of electron correlation, transferability of scale factors and correspondence of normal modes between the two isomers 205
Tosa, V.
—, Isomura, S., Kuga, Y. and Takeuchi, K.
Vibrational spectroscopy and force field calculations in Si_2F_6 45

Van der Maas, J.H., see Hanuza, J. 417
Vlassa, M., see Iliescu, T. 451

Winnewisser, G.
Spectroscopy in the terahertz region 241
Wu, J., see Xu, Z.H. 457

Xu, G., see Xu, Z.H. 457
Xu, Z.H.
—, Li, C., Wu, J., Xu, G. and Butler, I.S.
Infrared spectroscopic study of the surface interactions of

cyclopentadienyliron dicarbonyl dimer with acidic, neutral, and basic alumina supports 457

Yamamoto, K.
— and Ishida, H.
Optical theory applied to infrared spectroscopy 1

Yarwood, J., see Mortensen, A. 37
Yoshida, T., see Ohshima, K. 401
Yu, G.-S., see Nafie, L.A. 231

Żabiński, W., see Paluszkiewicz, C. 315
Zhang, S.L., see Bertie, J.E. 215